

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 13-48-10895	
Name of Facility: Perrine, Dr. Henry E. Academy of the Arts/ Loc.# 4381	
Address: 8851 SW 168 Street	
City, Zip: Miami 33157	
Type: School (more than 9 months)	
Owner: MDCPS	
Person In Charge: M-DCSB Food and Nutrition	Phone: (786) 275-0400
PIC Email:	

**Inspection Information**

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 10:45 AM
Inspection Date: 2/15/2024	Number of Repeat Violations (1-57 R): 1	End Time: 11:15 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	Stop Sale: No	

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

<p><b>SUPERVISION</b></p> <p><u>IN</u> 1. Demonstration of Knowledge/Training</p> <p><u>IN</u> 2. Certified Manager/Person in charge present</p> <p><b>EMPLOYEE HEALTH</b></p> <p><u>IN</u> 3. Knowledge, responsibilities and reporting</p> <p><u>IN</u> 4. Proper use of restriction and exclusion</p> <p><u>IN</u> 5. Responding to vomiting &amp; diarrheal events</p> <p><b>GOOD HYGIENIC PRACTICES</b></p> <p><u>IN</u> 6. Proper eating, tasting, drinking, or tobacco use</p> <p><u>IN</u> 7. No discharge from eyes, nose, and mouth</p> <p><b>PREVENTING CONTAMINATION BY HANDS</b></p> <p><u>IN</u> 8. Hands clean &amp; properly washed</p> <p><u>IN</u> 9. No bare hand contact with RTE food</p> <p><u>IN</u> 10. Handwashing sinks, accessible &amp; supplies</p> <p><b>APPROVED SOURCE</b></p> <p><u>IN</u> 11. Food obtained from approved source</p> <p><u>IN</u> 12. Food received at proper temperature</p> <p><u>IN</u> 13. Food in good condition, safe, &amp; unadulterated</p> <p><u>NA</u> 14. Shellstock tags &amp; parasite destruction</p> <p><b>PROTECTION FROM CONTAMINATION</b></p> <p><u>IN</u> 15. Food separated &amp; protected; Single-use gloves</p>	<p><u>IN</u> 16. Food-contact surfaces; cleaned &amp; sanitized</p> <p><u>IN</u> 17. Proper disposal of unsafe food</p> <p><b>TIME/TEMPERATURE CONTROL FOR SAFETY</b></p> <p><u>IN</u> 18. Cooking time &amp; temperatures</p> <p><u>IN</u> 19. Reheating procedures for hot holding</p> <p><u>IN</u> 20. Cooling time and temperature</p> <p><u>IN</u> 21. Hot holding temperatures</p> <p><u>IN</u> 22. Cold holding temperatures</p> <p><u>IN</u> 23. Date marking and disposition</p> <p><u>IN</u> 24. Time as PHC; procedures &amp; records</p> <p><b>CONSUMER ADVISORY</b></p> <p><u>NA</u> 25. Advisory for raw/undercooked food</p> <p><b>HIGHLY SUSCEPTIBLE POPULATIONS</b></p> <p><u>IN</u> 26. Pasteurized foods used; No prohibited foods</p> <p><b>ADDITIVES AND TOXIC SUBSTANCES</b></p> <p><u>IN</u> 27. Food additives: approved &amp; properly used</p> <p><u>IN</u> 28. Toxic substances identified, stored, &amp; used</p> <p><b>APPROVED PROCEDURES</b></p> <p><u>NA</u> 29. Variance/specialized process/HACCP</p>
---	---

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

<b>SAFE FOOD AND WATER</b>	
<u>IN</u> 30. Pasteurized eggs used where required	<u>NA</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	<b>UTENSILS, EQUIPMENT AND VENDING</b>
<u>NA</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces (R)
<b>FOOD TEMPERATURE CONTROL</b>	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	<b>PHYSICAL FACILITIES</b>
<u>NO</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
<b>FOOD IDENTIFICATION</b>	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
<b>PREVENTION OF FOOD CONTAMINATION</b>	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>OUT</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>IN</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>NO</u> 42. Washing fruits & vegetables	
<b>PROPER USE OF UTENSILS</b>	
<u>OUT</u> 43. In-use utensils: properly stored (COS)	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

<p>Violation #43. In-use utensils: properly stored Observed large spoon stored in prep sink. Remove large spoon. PIC removed large spoon from prep sink. COS. CODE REFERENCE: 64E-11.003(4). The establishment shall use an approved method for the storage of in-use utensils during pauses in food preparation or dispensing.</p>
<p>Violation #47. Food &amp; non-food contact surfaces Observed kettle disconnected due to gas leak. Work order #4333130. Repair/replace inoperable kettle. Repeated violation 11/17/2023 CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #55. Facilities installed, maintained, &amp; clean Observed electric line leaking water in service line. Repair electric line leak. CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

Temperatures were taken with a Thermanpen thermometer

Employee bathroom 106F  
Mop sink 109F  
Handwashing sink 109F  
Prep sink 121F  
3 compartment sink 112F

Hot line  
chicken wings 147F, cheese bread 141F, mac and cheese 149F

Walk in cooler  
Butter 39F, milk 38F, cheese sticks 40F, salad 40F, yogurt 40F,

Reach in cooler  
Milk 38F

Cold line  
Salad 39F

Warmer  
fries 144F

Milk box 39F

QT Sanitizer 200ppm

Calibrated probe thermometer 30F

Satisfactory

Email Address(es): mpersuade@dadeschools.net

Inspection Conducted By: Javon Johnakin (27326)  
Inspector Contact Number: Work: (305) 623-3500 ex.  
Print Client Name:  
Date: 2/15/2024

Inspector Signature:

A handwritten signature in black ink, appearing to be "A".

Client Signature:

A handwritten signature in black ink, appearing to be "M. Perry".

Form Number: DH 4023 03/18

13-48-10895 Perrine, Dr. Henry E. Academy of the Arts/ Loc.# 4381